Northwest Science
Volume 79 (2005)
Author and Subject Index

AUTHOR entry headings are distinguished from subject entry headings by capitalization.

A
Alaska
  fish use in eelgrass meadows, Johnson and Thedinga, 141-155
  invertebrate wood and litter communities, LeSage et al., 218-232
ALBERT, DONALD PATRICK and FERRY BUTAR BUTAR. NWS Notes: Downward hierarchical diffusion of naturopathic physicians in Oregon from 2000 to 2004, 81-84
Alberta
  adult bull trout seasonal movements, Mogen and Kaeding, 246-253
algae
  algal biomass affected by disturbance, Koetsier, 211-217
ALKASLASSY, EDMOND. Abundance of plethodontid salamanders in relation to coarse woody debris in a low elevation mixed forest of the western Cascades, 156-163
amphibians
  associations of salamanders with wood, Alkaslassy, 156-163
  northern sagebrush lizard range extension, Rawson and Pils, 281-285
anthropology
  hierarchical diffusion of naturopathic physicians, Albert and Butar Butar, 81-84

B
bass
  characteristics of unexploited black bass, Mueller et al., 131-140
BAYER, JENNIFER M. *see* Robinson and Bayer, 106-119
BECK, JEFFREY L. *see* Reese et al., 254-264
BILSLAND, DOUGLAS. *see* McComb et al., 164-171
biodiversity
  algal biomass affected by disturbance, Koetsier, 211-217
  fish use in eelgrass meadows, Johnson and Thedinga, 141-155
  invertebrate wood and litter communities, LeSage et al., 218-232
  streamside bird associations, McComb et al., 164-171
biometrics
  power analysis comparison, Fore and Clark, 91-98
biotelemetry
  adult bull trout seasonal movements, Mogen and Kaeding, 246-253
  white sturgeon, tag retention, telemetry, Kootenai River, Paragamian and Wakkinen, 72-76
birds
  mammalian predators along the Snake River, Zoellick et al., 265-272
  mountain quail habitat characteristics, Reese et al., 254-264
  Steller's jay nests and abundance, Vigallon and Marzluff, 22-27
  streamside bird associations, McComb et al., 164-171
BORMAN, MICHAEL M. *see* Meays et al., 203-210
botany
  Douglas-fir riparian restoration, Ronnie, 44-52
  dwarf mistletoe broom development, Mallams et al., 273-280
  ivy invasion and community change, Dlugosch, 53-60
  oak root system morphology, Devine and Harrington, 179-188
  persistence of Wenatchee Mountains checker-mallow, Zimmerman and Reichard, 172-178
British Columbia
  Douglas-fir riparian restoration, Ronnie, 44-52
  weasel habitat associations, Mowat and Poole, 28-36
BROUWER, NATHAN L. *see* Mueller et al., 131-140
BULL, EVELYN L., THAD W. HEATER, and JAY F. SHEPHERD. Habitat selection by the American marten in northeastern Oregon, 37-43
BUTAR BUTAR, FERRY. *see* Albert and Butar Butar, 81-84
butterflies
  Willamette Valley great coppers, Severns and Villegas, 77-80

C
Canada
  adult bull trout seasonal movements, Mogen and Kaeding, 246-253
  Douglas-fir riparian restoration, Ronnie, 44-52
  weasel habitat associations, Mowat and Poole, 28-36
carnivores
  American marten habitat selection, Bull et al., 37-43
  lynx movement in Yellowstone, Squires and Oakleaf, 196-201
  mammalian predators along the Snake River, Zoellick et al., 265-272
  weasel habitat associations, Mowat and Poole, 28-36
census
  hierarchical diffusion of naturopathic physicians, Albert and Butar Butar, 81-84
CLARK, WILLIAM H. *see* Fore and Clark, 91-98
climate
  adult bull trout seasonal movements, Mogen and Kaeding, 246-253
  associations of salamanders with wood, Alkaslassy, 156-163
  headwater stream temperatures, Meays et al., 203-210
  weasel habitat associations, Mowat and Poole, 28-36
CONGDON, BRUCE D. *see* Mueller et al., 131-140
conifers
  Douglas-fir riparian restoration, Ronnie, 44-52
  dwarf mistletoe broom development, Mallams et al., 273-280
  invertebrate wood and litter communities, LeSage et al., 218-232
  rust rating in whitebark pine, Six and Newcomb, 189-195
conservation
  Douglas-fir riparian restoration, Ronnie, 44-52
  molecular identification of glochidia, Gustafson and Iwamoto, 233-245

D
demographics
age, growth, and movements of WCT, Fraley and Shepard, 12-21
characteristics of unexploited black bass, Mueller et al., 131-140
power analysis comparison, Fore and Clark, 91-98
DEVINE, WARREN D. and CONSTANCE A. HARRINGTON. Root system morphology of Oregon white oak on a glacial outwash soil. 179-188
DLUGOSCH, KATRINA. Understory community changes associated with English ivy invasions in Seattle's urban parks. 53-60
DOWNS, CHRISTOPHER C. *see* Walters et al., 1-11
DRAKE, DEANNE C., JARON V. SMITH, and ROBERT J. NAIMAN. Salmon decay and nutrient contributions to riparian forest soils. 61-71
DREVER, C. RONNIE. Assessing light and conifer growth in a riparian restoration treatment along Spirit Creek, British Columbia. 44-52

E
endangered species
persistence of Wenatchee Mountains checker-mallow, Zimmerman and Reichard, 172-178
power analysis comparison, Fore and Clark, 91-98
entomology
Willamette Valley great coppers, Severns and Villegas, 77-80
epiphytes
dwarf mistletoe broom development, Mallams et al., 273-280
ethology
adult bull trout seasonal movements, Mogen and Kaeding, 246-253
American marten habitat selection, Bull et al., 37-43
fish use in eelgrass meadows, Johnson and Thedinga, 141-155
lynx movement in Yellowstone, Squires and Oakleaf, 196-201
Pacific lamprey migration in Oregon, Robinson and Bayer, 106-119
rainbow trout and bridgelip sucker, Murdoch et al., 120-130
weasel habitat associations, Mowat and Poole, 28-36
exotics
ivy invasion and community change, Dlugosch, 53-60

F
fire
persistence of Wenatchee Mountains checker-mallow, Zimmerman and Reichard, 172-178
fish
adult bull trout seasonal movements, Mogen and Kaeding, 246-253
age, growth, and movements of WCT, Fraley and Shepard, 12-21
characteristics of unexploited black bass, Mueller et al., 131-140
fish use in eelgrass meadows, Johnson and Thedinga, 141-155
Kootenai River rainbow trout recruitment, Walters et al., 1-11
molecular identification of glochidia, Gustafson and Iwamoto, 233-245
Pacific lamprey migration in Oregon, Robinson and Bayer, 106-119
products of salmon decay, Drake et al., 61-71
rainbow trout and bridgelip sucker, Murdoch et al., 120-130
white sturgeon, tag retention, telemetry, Kootenai River, Paragamian and Wakkinen, 72-76
FORE, LESKA S. and WILLIAM H. CLARK. Statistical power comparison of two sampling protocols for riverine snails. 91-98
forensic science
products of salmon decay, Drake et al., 61-71
forests
American marten habitat selection, Bull et al., 37-43
associations of salamanders with wood, Alkaslassy, 156-163
Chelan Mountainsnail occurrence, Gaines et al., 99-105
Douglas-fir riparian restoration, Ronnie, 44-52
dwarf mistletoe broom development, Mallams et al., 273-280
invertebrate wood and litter communities, LeSage et al., 218-232
oak root system morphology, Devine and Harrington, 179-188
products of salmon decay, Drake et al., 61-71
rust rating in whitebark pine, Six and Newcomb, 189-195
Steller's jay nests and abundance, Vigallon and Marzluff, 22-27
FRALEY, JOHN and BRADLEY B. SHEPARD. Age, growth, and movements of westslope cutthroat trout, *Oncorhynchus clarki lewisi*, inhabiting the headwaters of a wilderness river. 12-21
FREDERICKS, JIM. *see* Walters et al., 1-11

G
GAINES, WILLIAM L., ANDREA L. LYONS, and ANN SPRAGUE. Predicting the occurrence of a rare mollusk in the dry forests of north-central Washington. 99-105
geochemistry
products of salmon decay, Drake et al., 61-71
geography
adult bull trout seasonal movements, Mogen and Kaeding, 246-253
age, growth, and movements of WCT, Fraley and Shepard, 12-21
Chelan Mountainsnail occurrence, Gaines et al., 99-105
hierarchical diffusion of naturopathic physicians, Albert and Butar Butar, 81-84
lynx movement in Yellowstone, Squires and Oakleaf, 196-201
northern sagebrush lizard range extension, Rawson and Pils, 281-285
Pacific lamprey migration in Oregon, Robinson and Bayer, 106-119
GOHEEN, DONALD J. *see* Mallams et al., 273-280
grasslands
persistence of Wenatchee Mountains checker-mallow, Zimmerman and Reichard, 172-178
GUSTAFSON, RICHARD G. and ERIC M. IWAMOTO. A DNA-based identification key to Pacific northwest freshwater mussel glochidia: Importance to salmonid and mussel conservation. 233-245

H
habitat
American marten habitat selection, Bull et al., 37-43
fish use in eelgrass meadows, Johnson and Thedinga, 141-155

mountain quail habitat characteristics, Reese et al., 254-264
northern sagebrush lizard range extension, Rawson and Pils, 281-285
Steller's jay nests and abundance, Vigallon and Marzluff, 22-27
streamside bird associations, McComb et al., 164-171
weasel habitat associations, Mowat and Poole, 28-36
Willamette Valley great coppers, Severns and Villegas, 77-80
HARRINGTON, CONSTANCE A. *see* Devine and Harrington, 179-188
health care
hierarchical diffusion of naturopathic physicians, Albert and Butar Butar, 81-84
HEATER, THAD W. *see* Bull et al., 37-43
HEEKIN, PATRICIA E. *see* Reese et al., 254-264
horticulture
ivy invasion and community change, Dlugosch, 53-60
hydrology
algal biomass affected by disturbance, Koetsier, 211-217
headwater stream temperatures, Meays et al., 203-210

I
Idaho
algal biomass affected by disturbance, Koetsier, 211-217
Kootenai River rainbow trout recruitment, Walters et al., 1-11
mammalian predators along the Snake River, Zoellick et al., 265-272
mountain quail habitat characteristics, Reese et al., 254-264
power analysis comparison, Fore and Clark, 91-98
white sturgeon, tag retention, telemetry, Kootenai River, Paragamian and Wakkinen, 72-76
insects
Willamette Valley great coppers, Severns and Villegas, 77-80
invertebrates
algal biomass affected by disturbance, Koetsier, 211-217
invertebrate wood and litter communities, LeSage et al., 218-232
power analysis comparison, Fore and Clark, 91-98
Willamette Valley great coppers, Severns and Villegas, 77-80
ivy
ivy invasion and community change, Dlugosch, 53-60
IWAMOTO, ERIC M. *see* Gustafson and Iwamoto, 233-245

J
JAMES, PAUL W. *see* Murdoch et al., 120-130
JOHNSON, SCOTT W. and JOHN F. THEDINGA. Fish use and size of eelgrass meadows in southeastern Alaska: A baseline for long-term assessment and biotic change. 141-155

K
KAEDING, LYNN R. *see* Mogen and Kaeding, 246-253
KOETSIER, PETER. The effects of disturbance time interval on algal biomass in a small Idaho stream. 211-217

L
lakes
characteristics of unexploited black bass, Mueller et al., 131-140
lampreys
Pacific lamprey migration in Oregon, Robinson and Bayer, 106-119
landscape
mountain quail habitat characteristics, Reese et al., 254-264
streamside bird associations, McComb et al., 164-171
LARSON, LARRY L. *see* Meays et al., 203-210
lepidoptera
Willamette Valley great coppers, Severns and Villegas, 77-80
LeSAGE, C.M., R.W. MERRITT, and M.S. WIPFLI. Headwater riparian invertebrate communities associated with red alder and conifer wood and leaf litter in southeastern Alaska. 218-232
lynx
lynx movement in Yellowstone, Squires and Oakleaf, 196-201
LYONS, ANDREA L. *see* Gaines et al., 99-105

M
McCOMB, BRENDA C., DOUGLAS BILSLAND, and JEFFREY J. STEINER. Associations of winter birds with riparian condition in the lower Calapooia watershed, Oregon. 164-171
MALLAMS, KATY M., DONALD J. GOHEEN, and DAVID RUSSELL. Dwarf mistletoe broom development in mature Douglas-fir trees: A retrospective case study. 273-280
mammals, small
American marten habitat selection, Bull et al., 37-43
lynx movement in Yellowstone, Squires and Oakleaf, 196-201
mammalian predators along the Snake River, Zoellick et al., 265-272
weasel habitat associations, Mowat and Poole, 28-36
marine biology
fish use in eelgrass meadows, Johnson and Thedinga, 141-155
martens
American marten habitat selection, Bull et al., 37-43
MARZLUFF, JOHN M. *see* Vigallon and Marzluff, 22-27
MEAYS, CYNTHIA L., MICHAEL M. BORMAN, and LARRY L. LARSON. Temperatures of three headwater streams in northeastern Oregon. 203-210
MERRITT, R.W. *see* LeSage et al., 218-232
microbiology
molecular identification of glochidia, Gustafson and Iwamoto, 233-245
mistletoe
dwarf mistletoe broom development, Mallams et al., 273-280
MOGEN, JIM T. and KAEDING, LYNN R. Large-scale, seasonal movements of radiotagged, adult bull trout in the St. Mary River drainage, Montana and Alberta. 246-253
mollusks
Chelan Mountainsnail occurrence, Gaines et al., 99-105
power analysis comparison, Fore and Clark, 91-98
Montana
adult bull trout seasonal movements, Mogen and Kaeding, 246-253
age, growth, and movements of WCT, Fraley and Shepard, 12-21
northern sagebrush lizard range extension, Rawson and Pils, 281-285
morphology
age, growth, and movements of WCT, Fraley and Shepard, 12-21
molecular identification of glochidia, Gustafson and Iwamoto, 233-245
oak root system morphology, Devine and Harrington, 179-188

MOWAT, GARTH and KIM G. POOLE. Habitat associations by short-tailed weasels in winter. 28-36
MUELLER, KARL W., NATHAN L. BROUWER, and BRUCE D. CONGDON. Characteristics of unexploited black bass populations from a remote lake in the San Juan archipelago, Washington. 131-140
MURDOCH, ANDREW R., PAUL W. JAMES, and TODD N. PEARSONS. Interactions between rainbow trout and bridgelip sucker spawning in a small Washington stream. 120-130
mussels
molecular identification of glochidia, Gustafson and Iwamoto, 233-245

N
NAIMAN, ROBERT J. *see* Drake et al., 61-71
national parks
lynx movement in Yellowstone, Squires and Oakleaf, 196-201
naturopathic medicine
hierarchical diffusion of naturopathic physicians, Albert and Butar Butar, 81-84
NEWCOMB, MARIA. *see* Six and Newcomb, 189-195
NWS Notes
hierarchical diffusion of naturopathic physicians, Albert and Butar Butar, 81-84
lynx movement in Yellowstone, Squires and Oakleaf, 196-201
northern sagebrush lizard range extension, Rawson and Pils, 281-285
white sturgeon, tag retention, telemetry, Kootenai River, Paragamian and Wakkinen, 72-76
Willamette Valley great coppers, Severns and Villegas, 77-80

O
OAKLEAF, ROBERT. *see* Squires and Oakleaf, 196-201
oaks
oak root system morphology, Devine and Harrington, 179-188
Oregon
American marten habitat selection, Bull et al., 37-43
associations of salamanders with wood, Alkaslassy, 156-163
dwarf mistletoe broom development, Mallams et al., 273-280
headwater stream temperatures, Meays et al., 203-210
Pacific lamprey migration in Oregon, Robinson and Bayer, 106-119
streamside bird associations, McComb et al., 164-171
Willamette Valley great coppers, Severns and Villegas, 77-80

P
PARAGAMIAN, VAUGHN L. and VIRGINIA D. WAKKINEN. NWS Notes: A comparison of single and paired ultrasonic and radio transmitter retention by Kootenai River white sturgeon. 72-76
———. *see* Walters et al., 1-11
parasites
dwarf mistletoe broom development, Mallams et al., 273-280
molecular identification of glochidia, Gustafson and Iwamoto, 233-245
PEARSONS, TODD N. *see* Murdoch et al., 120-130
physiology
age, growth, and movements of WCT, Fraley and Shepard, 12-21
characteristics of unexploited black bass, Mueller et al., 131-140
PILS, ANDREW. *see* Rawson and Pils, 281-285
pine
rust rating in whitebark pine, Six and Newcomb, 189-195
plant pathology
dwarf mistletoe broom development, Mallams et al., 273-280
rust rating in whitebark pine, Six and Newcomb, 189-195
POOLE, KIM G. *see* Mowat and Poole, 28-36
predators
mammalian predators along the Snake River, Zoellick et al., 265-272

Q
quail
mountain quail habitat characteristics, Reese et al., 254-264

R
RAWSON, JESSE M. and ANDREW PILS. NWS Notes: Range extension for the northern sagebrush lizard in southwest Montana. 281-285
REESE, KERRY P., JEFFREY L. BECK, PETER ZAGER, and PATRICIA E. HEEKIN. Nest and brood site characteristics of mountain quail in west-central Idaho. 254-264
REICHARD, SARAH HAYDEN. *see* Zimmerman and Reichard, 172-178
reproduction
mountain quail habitat characteristics, Reese et al., 254-264
persistence of Wenatchee Mountains checker-mallow, Zimmerman and Reichard, 172-178
rainbow trout and bridgelip sucker, Murdoch et al., 120-130
reptiles
northern sagebrush lizard range extension, Rawson and Pils, 281-285
research methods
power analysis comparison, Fore and Clark, 91-98
white sturgeon, tag retention, telemetry, Kootenai River, Paragamian and Wakkinen, 72-76
resource management
associations of salamanders with wood, Alkaslassy, 156-163
characteristics of unexploited black bass, Mueller et al., 131-140
Chelan Mountainsnail occurrence, Gaines et al., 99-105
fish use in eelgrass meadows, Johnson and Thedinga, 141-155
invertebrate wood and litter communities, LeSage et al., 218-232
Kootenai River rainbow trout recruitment, Walters et al., 1-11
mountain quail habitat characteristics, Reese et al., 254-264
rust rating in whitebark pine, Six and Newcomb, 189-195
streamside bird associations, McComb et al., 164-171
rivers
age, growth, and movements of WCT, Fraley and Shepard, 12-21
Kootenai River rainbow trout recruitment, Walters et al., 1-11

mammalian predators along the Snake River, Zoellick et al., 265-272
Pacific lamprey migration in Oregon, Robinson and Bayer, 106-119
rainbow trout and bridgelip sucker, Murdoch et al., 120-130
ROBINSON, T. CRAIG and JENNIFER M. BAYER. Upstream migration of Pacific lampreys in the John Day River, Oregon: Behavior, timing, and habitat use. 106-119
RUSSELL, DAVID. *see* Mallams et al., 273-280

S
salamanders
associations of salamanders with wood, Alkaslassy, 156-163
salmon
products of salmon decay, Drake et al., 61-71
San Juan Islands
characteristics of unexploited black bass, Mueller et al., 131-140
Seattle
ivy invasion and community change, Dlugosch et al., 53-60
SEVERNS, PAUL M. and SALLY VILLEGAS. NWS Notes: Butterflies hanging on to existence in the Willamette Valley: a relict population of the great copper (*Lycaena xanthoides* Boisduval). 77-80
SHEPARD, BRADLEY B. *see* Fraley and Shepard, 12-21
SHEPHERD, JAY F. *see* Bull et al., 37-43
silviculture
Douglas-fir riparian restoration, Ronnie, 44-52
rust rating in whitebark pine, Six and Newcomb, 189-195
SIX, DIANA L. and MARIA NEWCOMB. A rapid system for rating white pine blister rust incidence, severity, and within-tree distribution in whitebark pine. 189-195
SMITH, JARON V. *see* Drake et al., 61-71
snails
Chelan Mountainsnail occurrence, Gaines et al., 99-105
power analysis comparison, Fore and Clark, 91-98
Snake River
power analysis comparison, Fore and Clark, 91-98
soils
oak root system morphology, Devine and Harrington, 179-188
products of salmon decay, Drake et al., 61-71
SPRAGUE, ANN. *see* Gaines et al., 99-105
SQUIRES, JOHN R. and ROBERT OAKLEAF. NWS Notes: Movements of a male Canada lynx in the greater Yellowstone area, including highways. 196-201
STANLEY, A. WAYNE. *see* ZOELLICK et al., 265-272
STEINER, JEFFREY J. *see* McComb et al., 164-171
streams
adult bull trout seasonal movements, Mogen and Kaeding, 246-253
age, growth, and movements of WCT, Fraley and Shepard, 12-21
algal biomass affected by disturbance, Koetsier, 211-217
Douglas-fir riparian restoration, Ronnie, 44-52
headwater stream temperatures, Meays et al., 203-210
invertebrate wood and litter communities, LeSage et al., 218-232
Kootenai River rainbow trout recruitment, Walters et al., 1-11
molecular identification of glochidia, Gustafson and Iwamoto, 233-245
products of salmon decay, Drake et al., 61-71
rainbow trout and bridgelip sucker, Murdoch et al., 120-130
streamside bird associations, McComb et al., 164-171
sturgeon
white sturgeon, tag retention, telemetry, Kootenai River, Paragamian and Wakkinen, 72-76
symbiosis
molecular identification of glochidia, Gustafson and Iwamoto, 233-245

T
taxonomy
invertebrate wood and litter communities, LeSage et al., 218-232
THEDINGA, JOHN F. *see* Johnson and Thedinga, 141-155
trees *see* forests
trout
adult bull trout seasonal movements, Mogen and Kaeding, 246-253
age, growth, and movements of WCT, Fraley and Shepard, 12-21
Kootenai River rainbow trout recruitment, Walters et al., 1-11
rainbow trout and bridgelip sucker, Murdoch et al., 120-130

U
UULMSCHNEIDER, HELEN M. *see* ZOELLICK et al., 265-272
urban ecology
ivy invasion and community change, Dlugosch, 53-60
Steller's jay nests and abundance, Vigallon and Marzluff, 22-27

V
Vancouver Island
Douglas-fir riparian restoration, Ronnie, 44-52
vertebrates
adult bull trout seasonal movements, Mogen and Kaeding, 246-253
age, growth, and movements of WCT, Fraley and Shepard, 12-21
American marten habitat selection, Bull et al., 37-43
associations of salamanders with wood, Alkaslassy, 156-163
characteristics of unexploited black bass, Mueller et al., 131-140
Kootenai River rainbow trout recruitment, Walters et al., 1-11
lynx movement in Yellowstone, Squires and Oakleaf, 196-201
mammalian predators along the Snake River, Zoellick et al., 265-272
mountain quail habitat characteristics, Reese et al., 254-264
northern sagebrush lizard range extension, Rawson and Pils, 281-285
Pacific lamprey migration in Oregon, Robinson and Bayer, 106-119
rainbow trout and bridgelip sucker, Murdoch et al., 120-130
Steller's jay nests and abundance, Vigallon and Marzluff, 22-27
streamside bird associations, McComb et al., 164-171
weasel habitat associations, Mowat and Poole, 28-36
white sturgeon, tag retention, telemetry, Kootenai River, Paragamian and Wakkinen, 72-76

VIGALLON, STACEY M. and JOHN M. MARZLUFF. Abundance, nest sites, and nesting success of Steller's jays along a gradient of urbanization in western Washington. 22-27
VILLEGAS, SALLY. *see* Severns and Villegas, 77-80

W
WAKKINEN, VIRGINIA D. *see* Paragamian and Wakkinen, 72-76
WALTERS, JODY P., CHRISTOPHER C. DOWNS, JIM FREDERICKS, and VAUGHN L. PARAGAMIAN. Recruitment of rainbow trout from tributaries to the Kootenai River, Idaho. 1-11
Washington
characteristics of unexploited black bass, Mueller et al., 131-140
Chelan Mountainsnail occurrence, Gaines et al., 99-105
ivy invasion and community change, Dlugosch, 53-60
oak root system morphology, Devine and Harrington, 179-188
persistence of Wenatchee Mountains checker-mallow, Zimmerman and Reichard, 172-178
products of salmon decay, Drake et al., 61-71
rainbow trout and bridgelip sucker, Murdoch et al., 120-130
Steller's jay nests and abundance, Vigallon and Marzluff, 22-27
weasels
weasel habitat associations, Mowat and Poole, 28-36
wildlife management
American marten habitat selection, Bull et al., 37-43
mammalian predators along the Snake River, Zoellick et al., 265-272
WIPFLI, M.S. *see* LeSage et al., 218-232
woodlands *see* forests
Wyoming, lynx movement in Yellowstone, Squires and Oakleaf, 196-201

Y
Yellowstone National Park, lynx movement in Yellowstone, Squires and Oakleaf, 196-201

Z
ZAGER, Peter. *see* Reese et al., 254-264
ZIMMERMAN, TARA GOLDSMITH and SARAH HAYDEN REICHARD. Factors affecting persistence of Wenatchee Mountains checker-mallow: An exploratory look at a rare endemic. 172-178
ZOELLICK, BRUCE W., HELEN M. ULMSCHNEIDER, and A. WAYNE STANLEY. Distribution and composition of mammalian predators along the Snake River in southwestern Idaho. 265-272